

# GARDEN WISE

*Non-Invasive Plants for your Garden*








*Western Washington Guide*

# VOLUNTARY CODES OF CONDUCT

FOR THE GARDENING PUBLIC (ANNOTATED):

In an effort to reduce the spread of invasive plants used for horticultural purposes, experts have created the "Voluntary Codes of Conduct," a series of steps that nursery professionals, landscape architects, gardeners, and others can take to help curb the spread of invasive horticultural plants.

-  Ask for only non-invasive species when you acquire plants. Plant only environmentally safe species in your gardens. Work towards and promote new landscape design that is friendly to regional ecosystems.
-  Seek information on which species are invasive in your area. Sources could include botanical gardens, horticulturists, conservationists, and government agencies. Remove invasive species from your land and replace them with non-invasive species suited to your site and needs.
-  Do not trade plants with other gardeners if you know they are species with invasive characteristics.
-  Request that botanical gardens and nurseries promote, display, and sell only non-invasive species.
-  Help educate your community and other gardeners in your area through personal contact and in such settings as garden clubs and other civic groups.

For the full Gardening Codes of Conduct, or to learn about the Codes of Conduct for Government, Nursery Professionals, Landscape Architects, and Botanic Gardens and Arboreta, please go to the [Invasive.org](http://www.invasive.org), TNC's Global Invasive Species Team webpage: [www.invasive.org/gist/horticulture/using-codes.html](http://www.invasive.org/gist/horticulture/using-codes.html)



Garden Wise is dedicated to

Ann Lennartz





# GARDEN WISE

## NON-INVASIVE PLANTS FOR YOUR GARDEN

While most exotic plants are not problematic, a few have become invasive in Washington State. When these plants spread to wild areas, they cause serious problems. For example invasive knotweeds, butterfly bush, and yellow flag iris are changing our streamsides and riverbanks; spurge laurel and Atlantic ivy are altering our forests.

This booklet represents the collaboration of nonprofit conservation groups, state and country government, and the nursery industry. We believe that preventing introduction is the most efficient way to reduce the spread and impact of invasive species. Whether you are looking for new and exciting plants to add to your garden, or you are looking to replace invasive plants in your yard, we hope this book will be a valuable resource. Working together, we can ensure that future generations enjoy pristine wild areas in Washington State.

Please note that this booklet is a product of an ongoing project. Visit [www.nwcb.wa.gov](http://www.nwcb.wa.gov) for updates and to learn about other problematic plants and their alternatives. You can also learn more from your local nursery, WSU Master Gardeners, and at [www.GreatPlantPicks.org](http://www.GreatPlantPicks.org).



FULL SUN



PART SUN



FULL SHADE



EVERGREEN



WELL-DRAINED SOIL



WASHINGTON NATIVE



REGULAR WATER



MEDIUM WATER



LOW WATER



DECIDUOUS



HEAVY SOIL



WILDLIFE FRIENDLY



Invasive

## Common Fennel

*Foeniculum vulgare*

Non-bulbing varieties of this herb are prized for their tall, feathery, aromatic, and often colorful foliage. However, this perennial colonizes grasslands and disturbed areas, including roadsides and abandoned lots, where dense stands can crowd out native flora. Fennel escapees are a serious problem in California, particularly in natural, open lands and along the coast. Fennel invasions are becoming a common sight in western Washington and may pose an additional threat to our state's vanishing grasslands.



CLASS B WASHINGTON STATE NOXIOUS WEED

## Recommended Alternative

### Bulbing Fennel

*Foeniculum vulgare var. azoricum*



This annual plant is most like common fennel, with the same feathery foliage and is ideal for culinary uses.

- The flavor of foliage and seeds is very similar to common fennel, and the swollen stem base is a crispy, flavorful vegetable used in many cuisines.
- The foliage is green and has a feathery texture like common fennel, but the plant is smaller in stature (2-3 feet, not 4-6 feet).
- Like common fennel, Florence fennel likes full sun and well-drained soils.
- The yellow flowers attract butterflies, and butterfly larvae feed on the foliage.
- USDA zones 4-9





## Recommended Alternative

## Dill

*Anethum graveolens*

The foliage of this plant is also feathery and reaches 3-4 feet.

- With a wonderful feathery foliage, dill offers a fennel-like hazy texture, although the plant is slightly smaller in stature.
- Dill is easy to grow in sunny, well drained sites.
- This annual will self-sow in your garden, so remove spent flowerheads before seeds scatter.
- Flat yellow flowers appear about the same time as those of fennel, attracting butterflies, and butterfly larvae feed on the foliage.
- USDA zones 3-7

Deborah Jordan, Solas Gardens



## Recommended Alternative

## Cosmos

*Cosmos bipinnatus*

Cosmos foliage is ferny like common fennel, but its daisy-like flowers differ.

- This annual has a long bloom time, from summer into autumn.
- It can add pink, purple or white color to the garden.
- The profuse, 3-inch daisy-like flowers, create a different effect in the garden than fennel.
- Easy to grow and care for, cosmos can be deadheaded to prolong flowering.
- Cosmos prefers well-drained soils and needs sunny sites, like common fennel.
- USDA zones 3-10



## More Choices

Biscuitroot (*Lomatium dissectum*), common yarrow (*Achillea millefolium*), Oregon sunshine (*Eriophyllum lanatum*), western sword fern (*Polystichum munitum*), Canada goldenrod (*Solidago canadensis*), all of which are native, and yellow yarrow (*Achillea 'moonshine'*).



## Invasive

### Italian Arum

*Arum italicum*

Introduced to gardens for its bright orange berries and variegated leaves that form a groundcover, Italian arum is a garden escapee that is invading natural areas in Washington. While new plants can grow from the berries dispersed by birds, plant infestations rapidly multiply by their underground tubers. These tubers are easily spread to new locations in contaminated soil. This toxic plant is extremely difficult to control once established and new populations are continually discovered.



Tim Miller, WSU-NWREC

CLASS C WASHINGTON STATE NOXIOUS WEED

## Recommended Alternative

### Low Oregon Grape

*Mahonia nervosa* (syn. *Berberis nervosa*)



This beautiful, evergreen low growing shrub is native to Washington.

- Plants spread by rhizomes to form a loose groundcover.
- Leaves are compound, made up of dark green, leathery leaflets, having toothed margins and a somewhat dull surface.
- Slender clusters of bright yellow flowers bloom in the spring and form deep blue, waxy berries.
- Able to grow in part sun and shade, dull Oregon grape is drought tolerant once established.
- USDA zones 5-9



Great Plant Picks

## Recommended Alternative

## White Fawn Lily

*Erythronium oregonum*

This native fawn lily produces beautiful white flowers and mottled leaves.

- This perennial grows from a corm, typically producing a pair of lance-shaped leaves at the base of the flower stem.
- Like Italian arum, white fawn lily has interesting coloring on its leaves.
- One to three nodding, white flowers bloom on stems that are up to 12 inches tall.
- Ideal for woodland gardens, it can grow in full sun to part shade and prefers well-draining soil.
- USDA zones 7-9



## Recommended Alternative

## Inside-Out Flower

*Vancouveria hexandra*

This native perennial forms a lovely groundcover of light green leaves.

- The compound leaves are made of lobed leaflets that emerge in spring.
- Small, white delicate flowers bloom in the spring, appearing as if they've been turned inside-out. Each stem forms 10 to 30 flowers
- Plants grow from rhizomes in moist to somewhat dry soils. It is fairly drought-tolerant once established.
- USDA zones 5-9



## More Choices

Kinnikinnick (*Arctostaphylos uva-ursi*), salal (*Gaultheria shallon*), which are both native, and Beesia (*Beesia deltophylla*).



## Invasive

### Policeman's Helmet

*Impatiens glandulifera*

Policeman's helmet has pretty pink-to-purple flowers and is unusually tall for an annual plant, reaching a maximum height of 10 feet. A garden escapee, this prolific, self-seeding plant has heavily colonized lowland riparian areas, including forests, stream banks, and roadside thickets, where it dominates native plant communities. Although considered a serious problem in Great Britain, and on the WSDA quarantine list, it is still often illegally exchanged amongst garden groups in Washington.



King County NW/CB

CLASS B WASHINGTON STATE NOXIOUS WEED

## Recommended Alternative

### Milky Bellflower

*Campanula lactiflora* 'Loddon Anna'

An upright long-blooming perennial for a well-drained, sunny to partly shady site.

- This easy-to-grow perennial will last in your garden to add color and texture over many years.
- The upright habit, reaching up to 4 to 5 feet, adds similar texture and height to the garden.
- Beautiful light lilac-pink starshaped flowers in panicles are similar in color, but not form, to policeman's helmet.
- Blooms mid-summer, trim back fading flowers to encourage rebloom later in the season.
- USDA zones 5-8



Ann Chapman



## Recommended Alternative

## Delphinium, Larkspur

*Delphinium parishii* 'Sky blue' and  
*Delphinium x elatum*



An upright, taller herbaceous perennial for a sunny site.

- The flower color ranges from white to deep lavenders and blues.
- Some cultivars reach heights similar to policeman's helmet.
- Spurred flowers on long spikes attract butterflies.
- This deciduous perennial grows back stronger each year. Check with your local nursery for disease-resistant cultivars.
- USDA zones 4-7



## Recommended Alternative

## Cardinal Flower

*Lobelia cardinalis* & cultivars



An upright herbaceous perennial for a moist, sunny to partly shady site.

- Cardinal flower grows in similar conditions as policeman's helmet: moist soils and part shade.
- Showy flower spikes can reach heights of 3 feet, shorter than policeman's helmet.
- Blooms are generally bright crimson, though color can range from orange-red to fuchsia to purple in some cultivars.
- A popular choice for attracting hummingbirds.
- USDA zones 3-10

Erv Evans, North Carolina State University



## More Choices

Cleome species, flowering tobacco (*Nicotiana mutabilis*), Japanese primrose (*Primula japonica*), *Thalictrum delavayi* 'Hewitt's Double meadow rue', and natives: western meadow-rue (*Thalictrum occidentale*), bleeding heart (*Dicentra formosa*), western blue flax (*Linum perenne*), monkeyflowers (*Erythranthe guttatus* and *E. lewisii*, syn. *Mimulus* sp.), and inside-out flower (*Vancouveria hexandra*).



## Invasive

### Tall or Purple Verbena

*Verbena bonariensis*

Tall verbena has been a popular addition to garden borders for its lavender, tubular flower clusters borne atop elevated flower stalks. Although attractive in the garden, this vigorously selfseeding perennial is rapidly spreading into fields and open areas around the world, including the state of Oregon, and is on its way to being a problem in western Washington. The prickly hairs on the stem make this weed difficult to hand pull. Identify it early and nip it in the bud!



John Randall, The Nature Conservancy



WASHINGTON STATE MONITOR SPECIES

## Recommended Alternative

### Native Penstemon Species

*Penstemon fruticosus*, *P. davidsonii*, *P. ovatus*,  
*P. procerus*, *P. serrulatus*



There are many beautiful, native penstemon species that can grow in your garden.

- Penstemons are typically shortlived perennials that produce beautiful clusters of flowers, of colors including pink, violet, and white.
- Penstemons have opposite leaves and five-petaled flowers, which are fused and form a tube with two 'lips' at the top.
- These species will attract pollinators to your garden.
- Check your growing conditions to make sure you plant in the right place.
- USDA zones vary, many 5-9





## Recommended Alternative

## Frikart's Aster

*Aster x frikartii* 'Mönch'



This prolific bloomer grows in a mounded form in full sun.

- The long flowering period (July-October) offers lavender-blue flowers throughout the season.
- A more densely branched habit than tall verbena, Frikart's aster grows 1.5 to 3 feet tall, prefers full sun but can grow in part shade.
- Provides color in the landscape when other plants are dying back in autumn.
- Its 2.5 inch flowers attract pollinators such as butterflies.
- USDA zones 5-8



Bellevue Botanical Gardens

## Recommended Alternative

## Pincushion Flower

*Scabiosa caucasica* 'Ultra Violet'



An ever-blooming perennial for a well-drained, sunny site.

- This cultivar's bright violet pincushion-shaped flowers are perched on thin stems to 2 feet tall
- Pincushion flower is not only great for cutting, but it also attracts butterflies in the garden.
- 'Ultra Violet' is a new cultivar with greater disease resistance than past offerings.
- USDA zones 4-9



Kennedy Harris

## More Choices

Homestead purple verbena (*Verbena canadensis* 'Homestead Purple') and natives camas (*Camassia quamash* and *Camassia leichtlinii*), lance-leaf self-heal (*Prunella vulgaris* var. *lanceolata*), harebell (*Campanula rotundifolia*), and Oregon iris (*Iris tenax*).

# Groundcover



## Invasive

### Yellow Archangel

*Lamium galeobdolon*

Striking variegated leaves and the ability to thrive in shady areas makes yellow archangel a popular ornamental plant for groundcover and hanging baskets. Unfortunately, this trailing plant easily establishes wild populations, in many cases as the result of improper disposal of garden cuttings or hanging baskets. Yellow archangel forms dense, homogenous mats in forests and parks and is a serious problem in British Columbia and western Washington.



CLASS B WASHINGTON STATE NOXIOUS WEED

## Recommended Alternative


### Wintercreeper

*Euonymus fortunei* 'Silver Queen' & 'Emerald Gaiety'



This is a low-growing evergreen plant with attractive foliage.

- The variegated leaves of wintercreeper provide contrast in the low light preferred by yellow archangel.
- Wintercreeper will tolerate full sun as well as the shade that yellow archangel prefers.
- USDA zones 4-8



Monrovia Nursery

## Recommended Alternative

### Coral Bells

*Heuchera & Heucherella species*



Low-growing perennials, some native to the Northwest.

- These plants produce small, airy flowers above ornamental leaves in a variety of colors and patterns, rivaling the foliage of yellow archangel.
- Heucheras and heucherellas tolerate sun to light shade.
- Their delicate flowers are also attractive to hummingbirds.
- USDA zones 4-9

Victor Carrano



Terra Nova Nurseries



Groundcover

## Recommended Alternative

### Wild Ginger

*Asarum caudatum*



Evergreen groundcover growing in part to full shade.

- Beautiful deep green, heartshaped leaves smell of lemonginger when crushed.
- Unique purple-brown flowers that may be covered by leaves, unlike the insignificant flowers of yellow archangel.
- Grows in a variety of garden conditions and is drought tolerant once established.
- Grows by rhizomes and slowly forms expanding mats.
- USDA zones 7-9



## More Choices

Bleeding heart (*Dicentra formosa*), wild lily-of-the-valley (*Maianthemum dilatatum*), three-leaf foamflower (*Tiarella trifoliata*), all of which are Washington natives, as well as barrenwort (*Epimedium species*), sweetbox (*Sarcococca hookeriana var. humilis*), and miniature London pride (*Saxifraga 'Primuloides'*).



## Invasive

### Old Man's Beard & Silverlace Vine

*Clematis vitalba* & *Polygonum aubertii* (syn. *Fallopia baldschuanica*)

Climbing vines such as old man's beard and silverlace vine are commonly used on arbors and trellises. Yet these vines can establish in forests and along riverbanks where they can smother shrubs and trees and form dense mats in the understory, displacing native flora. Both vines produce thousands of tiny seeds, which are spread by wind or carried on the bodies of birds. Silverlace vine can also regenerate from garden cuttings tossed aside, making escape from cultivation easy.

King County NWCB



CLASS C WASHINGTON STATE NOXIOUS WEED

## Recommended Alternative

### Sweet Autumn Clematis


*Clematis paniculata*, (syn *C. dioscoreifolia*)



This clematis is a vigorous and fragrant climber.

- This clematis has fragrant creamy white flowers.
- Like the invasive vines, this is a robust climber.
- It takes full sun to partial shade.
- Like silver lace vine and old man's beard, Sweet Autumn clematis blooms from summer to fall.
- This climber grows up to 20 feet tall.
- USDA zones 5-9

Monrovia Nursery





## Recommended Alternative

### Italian Clematis

*Clematis viticella* & cultivars



This species includes a variety of colorful cultivars.

- There are various flower colors to choose from, whereas the invasive vines offer only white.
- Growing only 15 feet tall, it does not overburden trees like the invasive vines.
- This clematis prefers full sun.
- Like silverlace vine and old man's beard, this plant is not particular about soil type.
- Zones 5-9

Pat Breen, Oregon State University



Groundcover

## Recommended Alternative

### Orange Honeysuckle

*Lonicera ciliosa*



Orange honeysuckle is a colorful northwest native that butterflies and birds love too.

- The flowers are a brilliant orange instead of white.
- It grows up to 30 feet tall, like old man's beard.
- This native takes full sun to partial shade.
- Blooms occur from May to July, earlier than either of the invasive vines.
- Birds and butterflies are attracted to its edible berries and nectar flowers.
- Zones 4-9



## More Choices

California honeysuckle (*Lonicera hipidula*) which is native, kiwi vine (*Actinidia kolomikta*), Japanese hydrangea vine (*Schizophragma hydrangeoides*), climbing hydrangea (*Hydrangea anomala* subsp. *petiolaris*), and silvervein creeper (*Parthenocissus henryana*).



## Invasive

### Atlantic & Invasive English Ivy Cultivars

*Hedera hibernica* & *Hedera helix* 'Baltica', 'California', 'Pittsburgh', & 'Star'

While over 400 cultivars of ivy are used for landscaping, only a few are considered invasive. When allowed to climb and mature, invasive ivies produce seed-filled berries which are spread by birds. A serious problem in western Washington, these cultivars spread into forests where the vines block sunlight, smother trees, and encourage rot. Dense mats of ivy blanket the forest understory, displace native flora, outcompete forest seedlings, and harbor pests such as rats.



CLASS C WASHINGTON STATE NOXIOUS WEED

## Recommended Alternative

### Creeping Raspberry

*Rubus pentalobus* (syn. *Rubus calycinoides*)



Forms a great, durable carpet of rough leaves, dark green in summer and tinged reddish in winter.

- This creeper is a good groundcover for slopes and will grow to cover larger spaces.
- It is drought tolerant like ivy, once established.
- Crinkle-leaf creeper is an attractive evergreen, finer in texture than ivy—with leaves the size of strawberry leaves.
- It grows well in sun and partial shade and remains healthy with little care.
- USDA zones 6-9

Pat Breen, Oregon State University





## Recommended Alternative

### Kinnikinnick

*Arctostaphylos uva-ursi*



A great native plant for carpeting the ground, Kinnikinnick helps sustain wildlife.


- Its evergreen foliage and mat-like spreading habit give an emerald look year-round.
- Like ivy, kinnikinnick is adapted to well-drained sandy soils and sun.
- Though drought tolerant once established, unlike ivy, it does not tolerate shade.
- Unlike ivy, kinnikinnick flowers are ornamental. Whitish-pink bells appear in summer, followed by red berries.
- USDA zones 5-10



## Recommended Alternative

### Climbing Hydrangea

*Hydrangea anomala subsp. petiolaris*



A good vine for climbing trees or walls or fences: holds on like ivy. Medium green, heart-shaped leaves are beautiful, but different in texture and scale.

- Large-leaved deciduous foliage will cover like ivy in summer, and cinnamon-red shaggy bark offers winter texture.
- Unlike ivy, it has beautiful lacey hydrangea-like blooms of creamwhite in June which are good for dried arrangements.
- Plant is relatively disease free and easy to care for.
- USDA zones 4-8



## More Choices

Silvervein creeper (*Parthenocissus henryana*), miniature London pride (*Saxifraga 'Primuloides'*), bearberry (*Cotoneaster dammeri*), wintercreeper (*Euonymus fortunei*), boxleaf honeysuckle (*Lonicera pileata*), sweetbox (*Sarcococca hookeriana var. humilis*), Boston ivy (*Parthenocissus tricuspidata*) and natives beach strawberry (*Fragaria chiloensis*) and evergreen violet (*Viola sempervirens*).



## Invasive

### Knotweeds

*Polygonum & Persicaria sp.*; Giant, Bohemian, Japanese, & Himalayan

Feathery white flower heads, large foliage, and tall, bamboo-like stems once made this group of knotweeds popular as garden ornamentals. Native to Asia, knotweeds have become a serious problem worldwide and are increasingly prevalent in Washington. They rapidly invade riparian zones: blocking sunlight, disturbing nutrient cycling, and facilitating stream bank erosion. These knotweeds are a serious problem along Washington State waterways where they degrade habitat for wildlife and fish species including salmon.



Whatcom County NWCB

CLASS B WASHINGTON STATE NOXIOUS WEED

## Recommended Alternative

### Goat's Beard

*Aruncus dioicus*

This robust perennial native provides height to your garden.

- Like knotweed, goat's beard thrives in moist soil.
- It produces a panicle of cream-colored flowers similar to knotweeds, though foliage texture is finer.
- Blooms in June and July, a little earlier than knotweeds.
- Goat's beard grows up to 6 feet tall.
- USDA zones 3-7



Erv Evans, North Carolina State University

## Recommended Alternative

### Mountain Witch-Alder

*Fothergilla major*



This is a deciduous shrub with gorgeous fall foliage.

- Small, fragrant white flowers bloom in spring, unlike the laterblooming knotweeds.
- Green foliage in summer turns to spectacular fall color, as opposed to less colorful knotweeds.
- Like knotweeds, fothergilla sports large leaves up to 5 inches long.
- Shrub grows up to 9 feet tall.
- Cultivar 'Mt. Airy' grows 5 to 6 feet tall and is a Great Plant Pick.
- Also known as witch-alder, this shrub prefers moist, well-drained soils.
- USDA zones 4-8

Victor Carrano



## Recommended Alternative

### False Solomon's Seal

*Maianthemum racemosum*

(syn. *Smilacina racemosa*)

This plant is a shade-loving, earlyblooming native perennial with gracefully arching stems.

- Clusters of delicate, creamy white flowers appear in mid-spring, before knotweed blooms.
- The flowers are lightly fragrant.
- Lance-shaped leaves reach lengths of 8 inches.
- It grows to around 3 feet in height and spreads to create a large patch in the right place.
- It prefers partial shade and adapts well to a variety of soils.
- USDA Zones 4-9.



Pat Breen, Oregon State University



## More Choices

Western serviceberry (*Amelanchier alnifolia*), ocean-spray (*Holodiscus discolor*), giant chain fern (*Woodwardia fimbriata*), red-osier dogwood (*Cornus sericea*), rose spirea (*Spirea douglasii*), and willow species (*Salix hookeriana*, *S. lasiandra*, *S. prolixa*, *S. scouleriana*, *S. sitchensis*), all of which are Washington natives.



## Invasive

### Flowering Rush

*Butomus umbellatus*

Introduced to ponds and water gardens for its clusters of pretty pink flowers, flowering rush has become an aggressive invader in freshwater habitats. This perennial can grow submersed or emerging from water, as well as in wetlands and shorelines. It spreads readily by rhizomes, rhizome fragments, bulbils (bud-like structures), and seeds. Flowering rush outcompetes native plant species, severely degrading habitat for wildlife and native fish. Dense stands may provide cover for introduced predator fish that eat our native fish species. These stands can also impact our swimming and boating areas and can clog unlined irrigation canals and drainage ditches.



Laurel Baldwin



CLASS A WASHINGTON STATE NOXIOUS WEED


## Recommended Alternative

### Hardstem Bulrush

*Schoenoplectus acutus*

This native perennial species grows in patches of striking upright stems.

- It is ideal for growing at the edges of ponds, lakes, and wetlands. Plants can grow in areas of seasonally flooding.
- Stout, dark green stems grow 3 to 10 feet tall. A few leaves may be present at the base of the stems.
- Small inflorescences at the stem tips are golden brown and form seeds.
- Stands of this native species help provide erosion control along shorelines.
- USDA Zones 3-9.



Max Licher, SFINet, © BY-SA 3.0





## Recommended Alternative

### Douglas's Aster

*Symphyotrichum subspicatum*



A native perennial with purple to blue flowers.

- Leafy stems grow from rhizomes, growing to 3 feet or taller.
- Blue to purple daisy-like flowers bloom from summer to fall.
- Excellent plant in your garden for pollinators
- It grows in wet soils and full sun to part shade.
- USDA zones 6-9

Al Keuter, © BY-NC-SA 3.0, © 2013



## Recommended Alternative

### Marsh Cinquefoil

*Comarum palustre*



This native perennial grows in wet areas and has striking red flowers.

- This widely distributed native is found in bogs, fens, lake and pond edges, wet meadows, and streambanks.
- Growing from rhizomes, stems form a groundcover or even a floating mat when it has grown over the water's edge.
- Hairy leaves are divided, with 5 to 7 toothed leaflets, and are light green to almost light blue in color.
- Deep red to purple flowers bloom in the summertime.
- USDA Zones 3-7.

Jenifer Parsons



## More Choices

Smallfruited bulrush (*Scirpus microcarpus*), bogbean (*Menyanthes trifoliata*), and wapato (*Sagittaria latifolia*), all of which are native.



## Invasive

### Yellow Flag Iris

*Iris pseudacorus*

With its showy yellow flowers and dense, lanceshaped leaves, yellow flag iris has been a popular addition to ornamental ponds and water gardens. However, this emergent wetland plant quickly spreads through underground rhizomes and rhizome fragments. It naturalizes along streams, canals, and shorelines in Washington. Yellow flag iris can completely out compete native wetland plants along the shoreline, and its dense, root-like mat collects sediment and severely reduces water flow, affecting plants, fish, and other animals.



CLASS B WASHINGTON STATE NOXIOUS WEED

## Recommended Alternative

### Japanese Iris

*Iris ensata* cultivars including 'Variegata'



These are beautiful irises for pond edges and bogs.

- They are ideal for wet boggy areas and edge-of-pond plantings, easy to grow.
- Elegant large flowers of white, purple, and violet blue form in late spring and early summer, a little after yellow flag iris.
- Foliage can reach 16 inches, the scale of the plant is smaller than yellow flag iris.
- The foliage of the cultivar 'Variegata' offers a creamy white and green foliar accent to pond plantings.
- USDA zones 5-8



Laura Burton



## Recommended Alternative

### Water Iris

*Iris laevigata* & cultivars

A true water-loving iris, beautiful in and out of flower.

- An ideal replacement for yellow flag iris in pond plantings, laevigata iris grows well in 6 inches of water. It is also good for wet boggy areas, and it's easy to grow.
- Flowers are large white, purple, lavender, and pink. Yellow blooming cultivars are rare.
- Blooms later than yellow flag iris.
- Foliage can reach 18 inches, so the scale of the plant is smaller than yellow flag iris.
- USDA zones 2-9



Pat Woodward, Pacific Rim Native Plant Nursery



## Recommended Alternative

### Siberian Iris

*Iris sibirica* & hybrids such as 'Butter & Sagan', 'Sunfisher'

A very versatile, easy-to-grow iris: the one to choose, other than a bearded iris, if you want yellow flowers.

- Good for mixed borders with normal water needs; also suitable for damp sites, but not for standing water.
- Flower colors range from white to purple to blue-purple to yellow.
- With foliage usually 2 feet or less, and taller flowers, the plant is smaller than yellow flag iris.
- Blooms May-June, but its lovely foliage makes this iris beautiful in and out of bloom.
- USDA zones 4-9



Todd Boland



## More Choices

Arctic iris (*Iris setosa*), blue flag irises (*Iris versicolor* and *Iris virginica*), bearded iris (*Iris x germanica*), and native species Rocky Mountain iris (*I. missouriensis*), western skunk cabbage (*Lysichiton americanum*).



## Invasive

### Fragrant Water Lily *Nymphaea odorata*

Although native to the eastern half of the United States, fragrant waterlily has been deliberately introduced into ponds and water gardens in the Pacific Northwest because of its large and beautiful, sweet-smelling white flowers. However, this floating-leaved plant can quickly dominate the water, denying submerged aquatic vegetation light and oxygen, stagnating water flow, degrading habitat for fish and invertebrates, and restricting wildlife and human access to water bodies.



Stevens County NWCB

CLASS C WASHINGTON STATE NOXIOUS WEED

## Recommended Alternative

### Fragrant Waterlily cultivars

*Nymphaea* 'Lucianna', N. 'Pink Beauty', N. 'Hermine'



These fragrant waterlilies are ideal for contained water gardens.

- Less aggressive cultivars of *Nymphaea*, such as the Marliac cultivars, come in a wide range of both bold and subtle colors.
- These water garden plants **should not** be placed in natural ponds, lakes, streams, or rivers where spread may be a danger or a problem.
- USDA zones 3-11

Eriv Evans, North Carolina State University



## Recommended Alternative

### Water Shield

*Brasenia schreberi*



A native aquatic plant with small floating leaves.

- Floating oval leaves are dark green on top and purple underneath.
- Water shield grows in water 2-6 feet deep.
- Found in lakes around western Washington, water shield is safe to use in natural water bodies to replace fragrant water lilies.
- The small, dark purple flowers that appear in late summer are attractive but unlike fragrant water lilies' showy blooms.
- Fish and other wildlife use this plant for valuable food and shelter.
- USDA zones 3-10



Whatcom County NWCB

## Recommended Alternative

### Spatterdock

*Nuphar polysepala*



A large native aquatic plant found in a range of water depths.

- Floating leaves on stiff stems sometimes lift above the water during low water levels.
- The showy yellow flower is dissimilar to fragrant waterlily's lotus-like bloom, but no less eye-catching.
- This native plant is found in ponds and lakes around Washington and is an important source of food and shelter for local fish and wildlife.
- USDA zones 4-8



Ben Legler

## Tips

Please remember, **never** dump water garden, aquarium plants, or aquarium fish into natural water systems.



## Invasive

### Purple Loosestrife & Garden Loosestrife

*Lythrum salicaria* & *Lysimachia vulgaris*

Both garden and purple loosestrife are common additions to flower gardens. These invasive plants are a major threat to wetlands because of their ability to tolerate saturated soils and spread rapidly into nondisturbed areas. Purple loosestrife is notorious for forming uniform stands; it crowds out all native plants and reduces wetland habitat. Garden loosestrife is a new, serious concern as it has been observed out-competing noxious purple loosestrife in Washington State wetlands.



CLASS B WASHINGTON STATE NOXIOUS WEEDS


## Recommended Alternative

### Dense Blazing Star

*Liatris spicata*

Eye-catching, purple-spiked perennial.

- Tall spikes of purple flowers are similar in appearance to purple loosestrife.
- This plant takes full sun.
- Dense blazing star blooms July through September, around the same time as purple loosestrife.
- Unlike purple loosestrife, it likes well-drained soils.
- USDA zones 3-9





## Recommended Alternative

### Meadow Rue

*Thalictrum aquilegifolium*



Features light and airy flowers above feathery foliage.

- Mauve-to-purple flowers are similar to purple loosestrife.
- This plant thrives in moist, rich soils, like the two invasive loosestrife species.
- It tolerates full sun to light shade.
- The divided leaves resemble those of the columbine.
- USDA zones 5-9



## Recommended Alternative

### Wisn's Ligularia

*Ligularia wilsoniana*



A tall and showy wetland perennial.

- Spikes of bright yellow flowers open in mid-to-late summer, about the same time garden loosestrife blooms.
- It grows in moist conditions, like garden loosestrife.
- This ligularia takes full sun to partial shade.
- Cultivars of *Ligularia dentata* and *L. przewalskii* also have showy flower spikes, with *L. dentata* having shorter spikes.
- USDA zones 5-9



## More Choices

Blue giant-hyssop (*Agastache foeniculum*), Hebe 'Purple Picture', cardinal flower (*Lobelia cardinalis*), dwarf Russian almond (*Prunus tenella*), tickseed coreopsis (*Coreopsis grandiflora*), bluebeard (*Caryopteris incana*), and WA native monkeyflowers (*Erythranthe* species) and *Penstemon* species.



## Invasive

### Butterfly Bush *Buddleja davidii*

With its showy purple flowers and ability to thrive under a variety of conditions, butterfly bush has become a popular garden ornamental in North America. However, it has escaped cultivation, invading roadsides, logged clearings, and other disturbed areas where it can form dense thickets. In the Pacific Northwest, it is problematic along rivers and streams, where it traps sediment. It does not seem to be a host plant for many butterfly larvae and it can displace native willow species upon which many of our native butterfly larvae feed.

Tim Miller, WSU-NWREC



Laurel Baldwin



CLASS B WASHINGTON STATE NOXIOUS WEED

## Recommended Alternative

### California Lilac

*Ceanothus* 'Victoria', 'Dark Star', 'Julia Phelps',  
'Blue Mist', *C. x vetchianus*



A neat and tidy, profusely blooming and sun-loving evergreen shrub.

- A wonderful fast-growing and drought-tolerant shrub for well-drained soils, this nitrogen-fixing plant tolerates poor soils.
- It attracts butterflies and honey bees.
- The beautiful flowers are blue and fragrant, with long spring bloomtime.
- This is a very self-reliant plant that is easy to care for, with no pest or disease problems.
- California lilac is evergreen and looks neat & green year-round.
- USDA zones 8-10



Monrovia Nursery



## Recommended Alternative

### Chaste Tree

*Vitex agnus-castus*



A tall and upright buddleja-like shrub for a hot sunny site.

- Summer to early autumn blooms add flower color at the same time of year as butterfly bush.
- Blooms are lilac-like in form, fragrant, and lavender-purple or white, blooming late summer into fall in full sun.
- The nectar attracts honey bees and butterflies and foliage provides food for butterfly larvae.
- Palmately compound, dark-green foliage is aromatic.
- The chaste tree is free of pests and diseases.
- USDA zones 6-10



Alice Coulthard

## Recommended Alternative

### Pacific Ninebark

*Physocarpus capitatus* & cultivars



A profusely blooming shrub with beautiful, shaggy bark for full sun or shade.

- It attracts butterflies and their larvae.
- Blooms are rounded pompoms of white to white-pink and the bloom time is earlier than butterfly bush –late spring to early summer.
- A deciduous shrub with an upright habit reaching a similar height to butterfly bush (12-15 feet). It can be maintained at 8-10 feet and is adapted to a wide range of soils and exposure to sun.
- USDA 3-10



M.R. and R.W. Smith

## More Choices

Non-invasive butterfly bushes *Buddleja fallowiana* and *B. globosa*, *Caryopteris x clandonensis*, Rose-of-Sharon (*Hibiscus syriacus*), and natives Lewis' mock orange (*Philadelphus lewisii*), serviceberry (*Amelanchier alnifolia*), red-flowering currant (*Ribes sanguineum*), rose spirea (*Spirea douglasii*), and willow species (*Salix hookeriana*, *S. lasiandra*, *S. prolixa*, *S. scouleriana*, *S. sitchensis*).



## Invasive

### Spurge Laurel

*Daphne laureola*

Spurge laurel is a shade-tolerant ornamental shrub with shiny, dark evergreen leaves and light green flowers. Birds spread its bluish-black berries into the forest understory, where the shrub competes with native plants for water and nutrients. A native to Europe and North Africa, spurge laurel is considered one of the top ten plants threatening rare Garry oak ecosystems in British Columbia, and is spreading throughout Washington and Oregon. Its sap and berries are also toxic.



Yamhill County Soil & Water Conservation District

CLASS B WASHINGTON STATE NOXIOUS WEED

## Recommended Alternative

### Winter Daphne

*Daphne odora* 'Aureomarginata'

This is a winter blooming, deliciously fragrant shrub.

- The attractive ornamental has larger, fragrant, pinkish flowers than spurge laurel.
- This shrub prefers shady areas.
- Like spurge laurel, winter daphne is an early bloomer, from February to March, and is also an evergreen.
- The cultivar 'Aureomarginata' has a contrasting creamy gold leaf margin. The species has entirely green leaves and is also recommended.
- USDA zones 7-9



Monrovia Nursery

## Recommended Alternative

### Daphnoides Rhododendron



#### Rhododendron 'Daphnoides'

Beautiful, large purple flowers decorate this evergreen shrub.

- Large purple flowers are eye-catching, unlike spurge laurel's insignificant greenish-white flowers.
- This rhododendron does not have Daphne species' fragrant flowers.
- It prefers sun to partial shade.
- Daphnoides blooms after spurge laurel, in late spring.
- As its name suggests, the leaves are very "daphne-like".
- USDA zones 4-8



## Recommended Alternative

### Salal

#### Gaultheria shallon



A highly adaptable, native, evergreen shrub with round leathery leaves.

- Small bell-shaped white flowers bloom March-June, with purplish berries appearing in late summer.
- Salal inhabits a wide variety of soil types and light levels.
- It attracts wildlife, including honey bees, and butterflies and their larvae.
- The foliage is often used in flower arrangements.
- This rounded, dense shrub grows 3-6 feet tall and up to 10 feet tall on favorable sites.
- USDA zones 6-9



## More Choices

Mexican mock orange (*Choisya 'Aztec Pearl'*), compact strawberry tree (*Arbutus unedo 'Compacta'*), Skimmia cultivars, variegated hybrid daphne (*Daphne x burkwoodii 'Carol Mackie'*), hybrid daphne (*Daphne x transatlantica 'Eternal Fragrance'*) and our native evergreen huckleberry (*Vaccinium ovatum*).



## Invasive

### English Holly

*Ilex aquifolium*

English holly's evergreen foliage and red berries make it a traditional hedgerow shrub in the Pacific Northwest. Two distinct leaf characteristics are evident, solid green and variegated. The solid green variety has been found escaping outside of gardens. Birds use the berries as a food source, and they spread seeds into surrounding areas where plants may propagate. Because the Northwest's climate is similar to the species' native Europe, English holly is appearing as scattered shrubs or low growing trees in lowland forests of western Washington.



WASHINGTON STATE MONITOR SPECIES

## Recommended Alternative

### Meserve Hybrid Hollies

*Ilex x meserveae* 'Blue Boy', 'Blue Girl', 'Blue Prince', 'Blue Princess', 'China Boy', 'China Girl', 'Berry Magic', & 'Ebony Magic'



If you want lots of berries and beautiful holly foliage, these hybrids are the plants for you.

- Like English holly, the female cultivars will set fruit heavily only when pollinated.
- All are evergreen with a dense habit and take heavy pruning, making good hedges and screening plants.
- All cultivars reach 15-18 feet or less; easier to maintain as a hedge than English holly.
- USDA zones 6-8



Pat Breen, Oregon State University



## Recommended Alternative

### Tall Oregon Grape

*Mahonia aquifolium*

(syn. *Berberis aquifolium*)



Plant with a dense, upright, almost pillar-like habit and dark green holly-like leaves.

- A great native plant, for screening and hedging in a sunny site, densely cloaked with leaves.
- Smaller than English holly, tall Oregon grape will grow to reach 8-10 feet in time.
- Unlike holly, this plant's bright yellow blooms are ornamental, appearing in very early spring and are followed by blue-black, not red, berries in summer.
- Easy to grow in a variety of soils.
- USDA zones 4-8



## Recommended Alternative

### Osmanthus or False Holly


*Osmanthus heterophyllus*



Great for screening, this shrub looks like an English holly without berries.

- This plant is often mistaken for a holly and, like holly, is well suited for screening and hedges because of its densely branched upright habit.
- The absence of red berries is compensated by small but very fragrant flowers in autumn.
- It grows 15 feet or more in a variety of soil types and in sun or partial shade.
- Easy to care for, it is free of any disfiguring diseases or pests.
- USDA zones 6-9

Richie Steffen, Great Plant Picks



## More Choices

English holly cultivars *Ilex aquifolium* 'Ferox Argenta' and 'Gold Coast', *Berberis x gladwynensis* 'William Penn', *Eucryphia glutinosa*, disease-resistant cultivars of firethorn such as *Pyracantha* 'Mohave', and *P. koidzumii* 'Victory', and strawberry tree (*Arbutus unedo*).



## Invasive


### Black Locust

*Robinia pseudoacacia*

Native to the southern U.S., black locust has been planted extensively for its attractive and fragrant flowers, hard wood, and rapid growth. This tall, fast-growing, and thorny member of the legume family can quickly form dense stands in prairies and along forest edges, displacing native vegetation and reducing the herbaceous understory. It is good at outcompeting many other plants because of its nitrogen-fixing ability. Already problematic in the northeastern U.S. and in Texas, black locust is also invasive in the Pacific Northwest and California.



John Randall, The Nature Conservancy



Mandy Ti, The Nature Conservancy

## Recommended Alternative

### Oregon Ash

*Fraxinus latifolia*



Native to the Pacific Northwest, this tree grows well in moist soils.

- Light green, compound leaves provide a texture similar to black locust.
- Oregon ash leaflets are larger than those of black locust.
- Similar in height to locust, Oregon ash can grow up to 80 feet.
- The round, full crown shape of mature trees is similar to that of black locust.
- USDA zones 6-8



Pat Breen, Oregon State University

## Recommended Alternative

### Kentucky Coffee Tree

*Gymnocladus dioicus*



A drought- and air-pollution-tolerant tree for moist, well-drained sites.

- Small leaflets on compound leaves provide a light and airy texture.
- Seed pods, similar to those of black locust, can be avoided by planting male trees.
- With heights of up to 75 feet, Kentucky coffee tree provides a similar shade canopy effect.
- Though moderately fast growing, Kentucky coffee tree does not seed aggressively like black locust.
- USDA zones 5-9

Pat Breen, Oregon State University



## Recommended Alternative

### Golden Rain Tree

*Koelreuteria paniculata*



This medium-sized ornamental tree tolerates a wide range of soil conditions in sunny to partly shady sites.

- Showy yellow flowers grace what is one of the few mid-summer blooming trees.
- Compound foliage offers a similar texture to black locust.
- The ornamental fruit pods last through winter.
- Like black locust, golden rain tree grows quickly.
- This tree is disease and pest resistant.
- USDA zones 6-9

Pat Breen, Oregon State University



## More Choices

Katsura (*Cercidiphyllum japonica*), American tulip tree (*Liriodendron tulipifera*), and Japanese scholar tree (*Sophora japonica*), and the native Douglas fir (*Pseudotsuga menziesii*).





## Invasive

### Common European Hawthorn & European Mountain Ash *Crataegus monogyna* & *Sorbus aucuparia*

These small, ornamental trees are popular for landscaping because of their attractive white flowers and showy red fruit. But birds readily disperse the seeds from garden plantings into natural areas, where hawthorn displaces native vegetation and forms impenetrable thickets that can change the understory ecosystem of forests. European mountain ash can establish in both wetland and upland areas. Beautiful, native versions of both of these trees exist, and more demand of them will create supply in nurseries.



CLASS C WASHINGTON STATE NOXIOUS WEED AND MONITOR SPECIES

## Recommended Alternative

### Black Hawthorn *Crataegus douglasii*



Native to western North America, this small tree can easily be confused with the invasive *Crataegus monogyna*.

- Similar in appearance to the single-seeded invasive hawthorn, Douglas hawthorn can be distinguished by the three to five nutlets found in the fruit and less-lobed leaves.
- Showy white flowers open in late spring.
- This native provides erosion control in moist soil conditions and riparian areas.
- USDA zones 2-8





## Recommended Alternative

### Serviceberry

*Amelanchier alnifolia*



Native throughout Washington, this lovely shrub or small tree attracts birds and supports pollinators in your garden.

- Clusters of white, five-petaled flowers bloom from spring to early summer and form purplish berrylike fruits.
- Red or gold leaf color highlights your garden in fall, with more color in sunnier locations.
- Serviceberry has multiple stems, typically reaching 3 to 15 feet tall, and is suitable for many landscapes.
- USDA zones 3-9



## Recommended Alternative

### Western Crabapple

*Malus fusca*



A Pacific coast native for moist soils in a sunny to partly shady site.

- Pretty white to pink flowers appear in mid-April.
- Edible but tart red crabapple fruits are visible in late summer to fall.
- Red or yellow-orange leaf color highlights your garden in fall.
- This native can be used as a small shrub or accent tree, growing to 35 feet in height.
- USDA zones 3-7



## More Choices

Other mountain ash species (*Sorbus commixta* and *S. huphensis*), Washington hawthorn (*Crataegus phaenopyrum*), crab apple (*Malus 'Evereste'*), Japanese scholar tree (*Styphnolopium japonicum*), strawberry tree (*Arbutus unedo*) and natives beaked hazelnut (*Corylus cornuta*), and Sitka mountain ash (*Sorbus sitchensis*).

# INDEX

## INVASIVE PLANTS BY COMMON NAME

| NAME                     | PAGE | NAME                                    | PAGE |
|--------------------------|------|---|------|
| Black locust             | 33   | Ivy: Atlantic/Irish & English cultivars | 15   |
| Butterfly bush           | 27   | Knotweeds                               | 17   |
| Common European hawthorn | 35   | Loosestrife, garden and purple          | 25   |
| Common fennel            | 3    | Old man's beard & silverlace vine       | 13   |
| English holly            | 31   | Policeman's helmet                      | 7    |
| European mountain ash    | 35   | Spurge laurel                           | 29   |
| Flowering rush           | 19   | Verbena, tall and purple                | 9    |
| Fragrant waterlily       | 23   | Yellow archangel                        | 11   |
| Italian arum             | 5    | Yellow flag iris                        | 21   |



## INVASIVE & ALTERNATE PLANTS BY SCIENTIFIC NAME

| NAME                        | PAGE | NAME                            | PAGE  |
|-----------------------------|------|---------------------------------|-------|
| Amelanchier alnifolia       | 36   | Ilex x meserveae                | 31    |
| Anethum graveolens          | 4    | Impatiens glandulifera          | 7     |
| Arctostaphylos uva-ursi     | 16   | Iris sp. & I. pseudacorus       | 21-22 |
| Arum italicum               | 5    | Koeleria paniculata             | 34    |
| Aruncus dioicus             | 17   | Lamium galeobdolon              | 11    |
| Asarum caudatum             | 12   | Liatris spicata                 | 25    |
| Aster x frikartii           | 10   | Ligularia wilsoniana            | 26    |
| Brasenia schreberi          | 24   | Lobelia cardinalis              | 8     |
| Buddleja davidii            | 27   | Lonicera ciliosa                | 14    |
| Butomus umbellatus          | 19   | Lysimachia vulgaris             | 25    |
| Campanula lactiflora        | 7    | Lythrum salicaria               | 25    |
| Ceanothus cultivars         | 27   | Mahonia aquifolium              | 32    |
| Clematis paniculata         | 13   | Mahonia nervosa                 | 5     |
| Clematis vitalba            | 13   | Maianthemum racemosum           | 18    |
| Clematis viticella          | 14   | Malus fusca                     | 36    |
| Comarum palustre            | 20   | Nuphar polysepala               | 24    |
| Cosmos bipinnatus           | 4    | Nymphaea cultivars & N. odorata | 23    |
| Crataegus douglasii         | 35   | Osmanthus heterophyllus         | 32    |
| Crataegus monogyna          | 35   | Penstemon spp.                  | 9     |
| Daphne laureola             | 29   | Physocarpus capitatus           | 28    |
| Daphne odora                | 29   | Polygonum & Persicaria sp.      | 17    |
| Delphinium parishii         | 8    | Polygonum aubertii              | 13    |
| Erythronium oregonum        | 6    | Rhododendron 'Daphnoides'       | 30    |
| Euonymus fortunei           | 11   | Robinia pseudoacacia            | 33    |
| Foeniculum vulgare          | 3    | Rubus pentalobus                | 15    |
| Foeniculum vulgare          | 3    | Scabiosa caucasica              | 10    |
| Fothergilla major           | 18   | Schoenoplectus acutus           | 19    |
| Fraxinus latifolia          | 33   | Sorbus aucuparia                | 35    |
| Gaultheria shallon          | 30   | Symphytotrichum subspicatum     | 20    |
| Gymnocladus dioicus         | 34   | Thalictrum aquilegifolium       | 26    |
| Hedera spp.                 | 15   | Vancouveria hexandra            | 6     |
| Heuchera & Heucherella spp. | 12   | Verbena bonariensis             | 9     |
| Hydrangea anomala           | 16   | Vitex agnus-castus              | 28    |
| Ilex aquifolium             | 31   |                                 |       |

# WASHINGTON STATE NOXIOUS WEED LIST

To help protect our state's resources and economy, the Washington State Noxious Weed Control Board creates an annual Noxious Weed List of the most serious invasive plants (WAC 16-750). This list separates weeds into three major classes:

## CLASS A NOXIOUS WEEDS

Species whose distribution in Washington is limited. State law requires eradication of these noxious weeds.

## CLASS B NOXIOUS WEEDS

Species whose distribution is limited to portions of Washington. The goal is to contain infestation where they already occur and prevent spread into new areas.

## CLASS C NOXIOUS WEEDS

Noxious Weeds that are often widespread in Washington State. Control is encouraged, and county weed boards have the option to require control at the local level.

Because approximately half of the plants on the weed list are garden escapees, making wise garden choices is an excellent step in controlling invasive plants.

For information on weed laws or weed removal, contact your county's noxious weed control board. The state weed board can direct you to your county weed board from our website: [www.nwcb.wa.gov](http://www.nwcb.wa.gov) (click on 'Resources'), or email: [noxiousweeds@agr.wa.gov](mailto:noxiousweeds@agr.wa.gov), or phone: (360) 725-5764.



## INVASIVES

According to the American Nursery and Landscape Association, "invasive, non-native species are those that can or have spread into native wilderness or managed ecosystems, develop self-sustaining populations, and become dominant or disruptive to those systems."

Invasive plants are causing serious environmental and economical damage worldwide. These plants hurt Washington's economy and prized natural resources by reducing crop yields, displacing native plants, destroying fish and wildlife habitat, decreasing land values, choking waterways, and by diminishing recreational opportunities such as fishing, hunting, hiking, wildlife viewing, and bird watching.

Preventative weed control is one of the least expensive and most effective ways to combat invasive plants, and this practice can start right at home in your own garden.



FOR MORE INFORMATION SEE: [WWW.NWCB.WA.GOV](http://WWW.NWCB.WA.GOV)

# ACKNOWLEDGEMENTS

## PRODUCED BY:

- ☞ WA State Noxious Weed Control Board,  
[www.nwcb.wa.gov](http://www.nwcb.wa.gov)
- ☞ WA State Nursery and Landscape Association,  
[www.wsnla.org](http://www.wsnla.org)
- ☞ Great Plant Picks,  
[www.GreatPlantPicks.org](http://www.GreatPlantPicks.org)
- ☞ The Nature Conservancy of WA
- ☞ Conservation Northwest
- ☞ University of Washington Botanic Gardens
- ☞ Washington Native Plant Society
- ☞ King County Noxious Weed Control Board,  
[www.kingcounty.gov/weeds](http://www.kingcounty.gov/weeds)
- ☞ Whatcom County Noxious Weed Control Board,  
[www.co.whatcom.wa.us/publicworks/weeds/index.jsp](http://www.co.whatcom.wa.us/publicworks/weeds/index.jsp)

## COMPILED AND WRITTEN BY:

Alison Halpern, Seth Cool, Tanya DeMarsh-Dodson, Wendy DesCamp, & Anne Schuster

## DESIGN, PLANT DRAWINGS, & PRODUCTION BY:

Anne Schuster

## INSPIRED BY:

Friendly Alternatives by the Auckland Regional Council, Cal-IPC Don't Plant a Pest, & original Garden Wise design by White Ink.

## COVER ART OF WESTERN TRUMPET HONEYSUCKLE (*LONICERA CILIOSA*) BY:

Laurel Baldwin

## SPECIAL THANKS TO:

Dr. Sarah Reichard, Sasha Shaw, Erin Moore, Laurel Baldwin, Jeff Larsen, Karen Peterson, Amay Yahнке, Seattle Urban Nature, Danielle Warner, Jenifer Parsons, Jennifer Andreas, Ray Larson, Mary Fee, Jason Ontjes, & Shawn Beach.

FOR MORE INFORMATION PLEASE

VISIT THE OUR WEBSITE:

[www.nwcb.wa.gov](http://www.nwcb.wa.gov)



Seventh printing 2021, originally published February 2006